Subject Index

Albumin 389
Alkaline phosphate 242, 247, 284
Alkaline phosphatase 15
Amenorrhoea 365
Amino acid sequence 202
Anchorin CII 247
Anchorin V 247
Angiogenesis 49
Annexin II 202
Annexin V 202, 214, 290
Annexin VI 202, 247, 290
Annexin VII 214
Annexins 284
Ascorbate 152
Ascorbic acid 242
Athletes 365
Autocrine inhibition 323
Autofluorescence 152

Biological membranes 214
Bone biopsy 399
Bone cell 347
Bone formation 31, 361
Bone loss 87
Bone mineral density 75, 87, 365
Bone nodules 15
Bone resorption 31, 347
Bone turnover 31

Calcium and phosphate uptake 284, 290
Calcification 49, 284, 290
Calcium-binding proteins 202
Calcium channels 214
Calcitonin 65
Cell culture 152
Chondrocyte 49
Chondrocytes 242
Cell attachment 242
Chromogranin A 323, 335
Children 75
Collagen 59
Collagen-binding proteins 202
Collagen fibrils 253
Collagenase 49
Collagens type II 247, 290
Collagens type X 247, 290
Continuous ambulatory peritoneal dialysis 389
Cortical bone 31, 59

Dancers 365
Dietary calcium 365
1,25-Dihydroxyvitamin D 389
Dual-energy x-ray absorptiometry 75
Dual-photon-absorptiometry 87

Exercise 365
Extracellular matrix 247

Fluoride 399
Fracture 361

β-Glycerophosphate 15, 152
Growth plate chondrytes 152

Hormone processing 323
Hyaluronate-binding region 247
Hydroxyproline 377
25-Hydroxyvitamin D 389

Inorganic phosphate 15
Insulin 152
Ion channels 284, 290
Ion transport 202
Interleukin-1 49
In vitro bioassay 65
In vivo bioassay 65

Lactic acid 242

Matrix vesicles 172, 202, 214, 247, 253, 284, 290

Membrane fusion 214
Menstrual status 365
Metalloproteinases 172
Mineralization 15, 59, 152, 247, 253
Modeling 31
Mouse long bone explants 1

Normative data 75
Nucleation 284, 290

Osteocalcin 377
Osteoclast 347
Osteoclastic resorption 1
Osteoporosis 87, 361, 399

Paget's disease 399
Pancreastatin 323, 335
Parathormone 323
Parathyroid 335
Parathyroid secretion 323
Postmenopausal women 87
pH 290
Phosphatase 377
Phospholipid-binding proteins 202
Peptide 335
Prostaglandin E_2 31
Proteoglycan link protein 247
Proteolysis 323

Rabbit growth plate 49
Remodeling 31
Rocket immunoelectrophoresis 389
Rowers 365
Runners 365

Secretion 335
Secretory vesicles 214
^{85}Sr 361

T 47 D cells 65
Thyroid 377
TIMP 172
Tissue inhibitor of metalloproteinase 49
Tissue type plasminogen activator 1
Trabecular channels 399
Trabecular generation 399
Trabecular structure 399
Trace metal ions 284
Transforming growth factor alpha 1

Vitamin D-binding protein 389

Withdrawal 31

Zinc 284, 290

Author Index

Aaron, J.E., de Vernejoul, M.-C. and Kanis, J.A., Bone hypertrophy and trabecular generation in Paget's disease and in fluoride-treated osteoporosis, 399

Alhava, E., see Kröger, H., 75

Ali, S.Y., Constitutive enzymes of matrix vesicles, 168

Amir, D., see Schwartz, Z., 134

Amir, D., see Sela, J., 163

Anderson, H.C., see Masuhara, K., 182

Anderson, H.C., see Morris, D.C., 209

Anderson, H.C., Stechschulte Jr., D.J., Hsu, H.H.T. and Morris, D.C., Comparison of normal and rachitic rat matrix vesicles, 119

Anderson, H.C., see Stechschulte Jr., D.J., 187

Arena, J., see Landis, W.J., 237

Arispe, N., see Rojas, E., 214

Arsenault, A.L., Structural and chemical analyses of mineralization using the turkey leg tendon as a model tissue, 253

Aubin, J.E., see Bellows, C.G., 15

Balmain, N., Identification of Calbindin-D9k in matrix vesicles, 197

Bellows, C.G., Heersche, J.N.M. and Aubin, J.E., Inorganic phosphate added exogenously or released from β-glycerophosphate initiates mineralization of osteoid nodules in vitro, 15

Bonewald, L.F., Schwartz, Z., Swain, L.D. and Boyan, B.D., Stimulation of matrix vesicle enzyme activity in osteoblast-like cells by $1,25(OH)_2D_3$ and transforming growth factor β (TGFβ), 139

Bonucci, E., Comments on the ultrastructural morphology of the calcification process: an attempt to reconcile matrix vesicles, collagen fibrils, and crystal ghosts, 219

Boskey, A.L., Boyan, B.D., Doty, S.B., Feliciano, A., Greer, K., Weiland, D., Swain, L.D. and Schwartz, Z., Studies of matrix vesicle-induced mineralization in a gelatin gel, 257

Boyan, B.D., Schwartz and Swain, L.D., Cell maturation-specific autorcine/paracrine regulation of matrix vesicles, 263

Boyan, B., see Schwartz, Z., 134

Boyan, B.D., see Bonewald, L.F., 139

Boyan, B.D., see Boskey, A.L., 257

Boyan, B.D., see Dean, D.D., 172

Boyan, B.D., see Sela, J., 163

Boyan, B.D., see Swain, L.D., 192

Bradbeer, J.N., see Wand J.S., 361

Brown, R.A. and McFarland, C.D., Regulation of growth plate cartilage degradation in vitro: effects of calcification and a low molecular weight angiogenic factor (ESAF), 49

Brügger, P., see Grauer, A., 65

Burns, A.L., see Rojas, E., 214

Bijvoet, O.L.M., see Hoekman, K., 1

Camper, S., see Golub, E.E., 273

Cao, X., see Genge, B., 202

Carango, P., see Funanage, V.L., 228

Cassalla, J.P. and Yousuf Ali, S., Abnormal collagen and mineral formation in osteogenesis imperfecta, 123

Chen, W.-t., Yamaoka, K., Nakajima, S., Tanaka, Y., Yamamoto, T., Satomura, K., Okada, S. and Seino, S., Evaluation of vitamin D-binding protein and vitamin D metabolite loss in children on continuous ambulatory peritoneal dialysis, 389

Chen, Q., Fitch, J.M., Linsenmayer, C. and Linsenmayer T.F., Type X collagen: covalent crosslinking to hypertrophic cartilage-collagen fibrils, 223

Clarke Anderson, H., Conference introduction

and summary, 107
Clark, P., see Wolman, R.L., 415
Cohn, D.V., see Fasciotto, B.H., 323

Dawson-Hughes, B., see Harris, S., 87
Dean, D.D., Schwartz, Z.V.I., Muniz, O.E., Gomez, R., Swain, L.D., Howell, D.S. and Boyan, B.D., Matrix vesicles contain metalloproteinases that degrade proteoglycans, 172
Doty, S.B., see Boskey, A.L., 257
Drees, B.M. and Hamilton, J.W., Pancreastatin and bovine parathyroid cell secretion, 335

Eanes, E.D., Mixed phospholipid liposome calcification, 269
Enomoto, M., see Leboy, P.S., 242

Fasciotto, B.H., Gorr, S.-V. and Cohn, D.V., Autocrine inhibition of parathyroid cell secretion requires proteolytic processing of chromogranin A, 323
Fedde, K.N., Human osteosarcoma cells spontaneously release matrix-vesicle-like structures with the capacity to mineralize, 145
Feliciano, A., see Boskey, A.L., 257
Fitch, J.M., see Chen, Q., 223
Fujiwara, S., see Hosokawa, R., 177
Funanage, V.L., Carango, P., Shapiro, I.M., Tokuoka, T. and Tuan, R.S., Creatine kinase activity is required for mineral deposition and matrix synthesis in endochondral growth cartilage, 228

Genge, B., Cao, X., Wu, L.N.Y. and Wuthier, R.E., Establishment of the primary structure of the two major matrix vesicle annexins by peptide and DNA sequencing, 202
Genge, B.R., see Wu, L.N.Y., 247
Golub, E.E., Harrison, G., Taylor, A.G., Camper, S. and Shapiro, I.M., The role of alkaline phosphatase in cartilage mineralization, 273
Gorr, S.-V., see Fasciotto, B.H., 323
Gomez, R., see Dean, D.D., 172
Grauer, A., Raue, F., Reinel, H.H., Schneider, H.-G., Schroth, J., Kabay, A., Brügger, P. and Ziegler, R., A new in vitro bioassay for human calcitonin: validation and comparison to the rat hypocalcemia bioassay, 65
Green, J.R., see Wand, J.S., 361
Greer, K., see Boskey, A.L., 257
Gross, U., see Schwartz, Z., 134

Haigler, H.T., see Rojas, E., 214
Hakeda, Y., see Takada, Y., 347
Hamilton, J.W., see Drees, B.M., 335
Hampton, L., see Wand, J.S., 361
Harries, M.G., see Wolman, R.L., 415
Harris, S. and Dawson-Hughes, B., Rates of change in bone mineral density of the spine, heel, femoral neck and radius in healthy postmenopausal women, 87
Harrison, G., see Golub, E.E., 273
Heersche, J.N.M., see Bellows, C.G., 15
Heps, R., see Wand, J.S., 361
Hiura, K., see Takada, Y., 347
Hodgens, K.J., see Landis, W.J., 237
Hoekman, K., Löwik, C.W.G.M., van de Ruit, M., Bijvoet, O.L.M., Verheijen, J.H. and Papapoulos, S.E., The effect of tissue type plasminogen activator (tPA) on osteoclastic resorption in embryonic mouse long bone explants: a possible role for the growth factor domain of tPA, 1
Hosokawa, R., Ohashi-Takeuchi, H., Yamada, N., Uchida, Y., Fujiwara, S. and Noguchi, T., Lactate dehydrogenase isoenzymes in matrixvesicles (review), 177
Howell, D.S., see Dean, D.D., 172
Hsu, H.H.T., Further studies on ATP-mediated CA deposition by isolated matrix vesicles, 279
Hsu, H.H.T., see Anderson, H.C., 119
Hsu, H.H., see Masuhara, K., 182
Hukins, D.W.L., see Lees, S., 59

Ishikawa, Y., see Wuthier, R.E., 290

Jee, W.S.S., Ke, H.Z. and Li, X.J., Loss of prostaglanin E_2-induced extra cortical bone after its withdrawal in rats, 31

Kabay, A., see Grauer, A., 65
Kanis, J.A., see Aaron, J.E., 399
Kawashima, H., see Takada, Y., 347
Ke, H.Z., see Jee, W.S.S., 31
Kim, T.Y., see Lewinson, D., 158
Kiyonaga, S., see Landis, W.J., 237
Kohavi, D., see Schwartz, Z., 134
Kotaniemi, A., see Kröger, H., 75
Kröger, H., Kotaniemi, A., Vainio, P. and Alhava, E., Bone densitometry of the spine

and femur in children by dual-energy x-ray absorptiometry, 75
Kumegawa, M., see Takada, Y., 347
Kusuda, M., see Takada, Y., 347

Landis, W.J., Hodgens, K.J., McKee, M.D., Nanci, A., Song, M.J., Kiyonaga, S., Arena, J. and McEwen, B., Extracellular vesicles of calcifying turkey leg tendon characterized by immunocytochemistry and high voltage electron microscopic tomography and 3-D graphic image reconstruction, 237
Leboy, P.S., Sullivan, T.A., Menko, A.S. and Enomoto, M., Ascorbic acid induction of chondrocyte maturation, 242
Lees, S. and Hukins, D.W.L., X-ray diffraction by collagen in the fully mineralized cortical bone of cow tibia, 59
Levy, R.J., see Schoen, F.J., 129
Lewinson, D., Weiss, A., Kim, T.Y. and Silbermann, M., Induction of matrix vesicles in ossifying cartilage: comparison between deflazacort and fluorinated synthetic glucocorticoids, 158
Li, X.J., see Jee, W.S.S., 31
Linsenmayer, C., see Chen, Q., 223
Linsenmayer, T.F., see Chen, Q., 223
Líminová, Z., see Štěpán, J.J., 377
Löwik, C.W.G.M., see Hoekman, K., 1

Masuhara, K., Suzuki, S., Yoshikawa, H., Tsuda, T., Takaoka, K., Ono, K., Morris, D.C., Hsu, H.H. and Anderson, H.C., Development of a monoclonal antibody specific for human bone alkaline phosphatase, 182
McEwen, B., see Landis, W.J., 237
McFarland, C.D., see Brown, R.A., 49
McKee, M.D., see Landis, W.J., 237
McNally, E., see Wolman, R.L., 415
Menko, A.S., see Leboy, P.S., 242
Mochizuki, H., see Takada, Y., 347
Morris, D.C., see Anderson, H.C., 119
Morris, D.C., see Masuhara, K., 182
Morris, D.C., Moylan, P.E. and Anderson, H.C., Immunochemical and immunocytochemical identification of matrix vesicle proteins, 209
Morris, D.C., see Stechschulte Jr., D.J., 187
Moylan, P.E., see Morris, D.C., 209
Muller-Mai, C., see Schwartz, Z., 134
Muniz, O.E., see Dean, D.D., 172

Nagao, Y., see Takada, Y., 347
Nakajima, S., see Chen, W.-t., 389
Nanci, A., see Landis, W.J., 237
Noguchi, T., see Hosokawa, R., 177

Okada, S., see Chen, W.-t., 389
Ono, K., see Masuhara, K., 182
Oshashi-Takeuchi, H., see Hosokawa, R., 177

Papapoulos, S.E., see Hoekman, K., 1
Pollard, H.B., see Rojas, E., 214

Raue, F., see Grauer, A., 65
Rees, J.A., see Yousuf Ali, S., 115
Reeve, J., see Wand, J.S., 361
Reeve, J., see Wolman, R.L., 415
Reinel, H.H., see Grauer, A., 65
Rojas, E., Arispe, N., Haigler, H.T., Burns, A.L. and Pollard, H.B., Identification of annexins as calcium channels in biological membranes, 214
Ruit, van de, M., see Hoekman, K., 1

Sambrook, P.N., see Wand, J.S., 361
Sato, T., see Takada, Y., 347
Satomura, K., see Chen, W.-t., 389
Sauer, G.R., see Wuthier, R.E., 290
Schoen, F.J. and Levy, R.J., Bioprosthetic heart valve calcification: membrane-mediated events and alkaline phosphatase, 129
Schroth, J., see Grauer, A., 65
Scotchford, C.A., see Yousuf Ali, S., 115
Schwartz, Z., see Bonewald, L.F., 139
Schwartz, Z., see Boskey, A.L., 257
Schwartz, Z., see Boyan, B.D., 263
Schwartz, Z., see Sela, J., 163
Schwartz, Z., Swain, L., Sela, J., Gross, U., Amir, D., Kohavi, D., Muller-Mai, C. and Boyan, B., In vivo regulation of matrix vesicle concentration and enzyme activity during primary bone formation, 134
Schwartz, Z., see Swain, L.D., 192
Schwartz, Z.V.I., see Dean, D.D., 172
Seino, Y., see Chen, W.-t., 389
Sela, J., see Schwartz, Z., 134
Sela, J., Schwartz, Z., Amir, D., Swain, L.D. and Boyan, B.D., The effect of bone injury on extracellular matrix vesicle proliferation and mineral formation, 163
Shapiro, I.M., see Funanage, V.L., 228
Shapiro, I.M., see Golub, E.E., 273
Silbermann, M., see Lewinson, D., 158

Silverton, S.F., see Stechschulte Jr., D.J., 187
Smith, T., see Wand, J.S., 361
Song, M.J., see Landis, W.J., 237
Stechschulte, Jr., D.J., see Anderson, H.C., 119
Stechschulte, Jr., D.J., Morris, D.C., Silverton, S.F., Anderson, H.C. and Väänänen, H.K., Presence and specific concentration of carbonic anhydrase II in matrix vesicles, 187
Štěpán, J.J. and Z. Límanová, Biochemical assessment of bone loss in patients on long-term thyroid hormone treatment, 377
Sullivan, T.A., see Leboy, P.S., 242
Suzuki, S., see Masuhara, K., 182
Swain, L., see Schwartz, Z., 134
Swain, L.D., see Bonewald, L.F., 139
Swain, L.D., see Boskey, A.L., 257
Swain, L.D., see Boyan, B.D., 263
Swain, L.D., see Dean, D.D., 172
Swain, L.D., Schwartz, Z. and Boyan, B.D., Regulation of matrix vesicle phospholipid metabolism is cell maturation-dependent, 192
Swain, L.D., see Sela, J., 163

Takada, Y., Kusuda, M., Hiura, K., Sato, T., Mochizuki, H., Nagao, Y., Tomura, M., Yahiro, M., Hakeda, Y., Kawashima, H. and Kumegawa, M., A simple method to assess osteoclast-mediated bone resorption using unfractionated bone cells, 347
Takaoka, K., see Masuhara, K., 182
Tanaka, Y., see Chen, W.-t., 389
Taylor, S., see Golub, E.E., 273
Tokuoka, T., see Funanage, V.L., 228
Tomura, M., see Takada, Y., 347
Tsuda, T., see Masuhara, K., 182
Tuan, R.S., see Funanage, V.L., 228

Uchida, Y., see Hosokawa, R., 177

Väänänen, H.K., see Stechschulte Jr., D.J., 187
Vainio, P., see Kröger, H., 75
Verheijen, J.H., see Hoekman, K., 1
de Vernejoul, M.-C., see Aaron, J.E., 399

Wand, J.S., Green, J.R., Hesp, R., Bradbeer, J.N., Sambrook, P.N., Smith, T., Hampton, Zanelli, J.M. and Reeve J., Bone remodelling does not decline after menopause in vertebral fracture osteoporosis, 361
Weiland, D., see Boskey, A.L., 257
Weiss, A., see Lewinson, D., 158
Wolman, R.L., Clark, P., McNally, E., Harries,M.G. and Reeve, J., Dietary calcium asa statistical determinant of spinal trabecular bone density in amenorrhoeic and oestrogen-replete athletes, 415
Wu, L.N.Y., see Genge, B., 202
Wu, L.N.Y., Genge, B.R. and Wuthier, R.E., Evidence for specific interaction between matrix vesicle proteins and the connective tissue matrix, 247
Wu, L.N.Y., see Wuthier, R.E., 290
Wuthier, R.E., see Genge, B., 202
Wuthier, R.E., see Wu, L.N.Y., 247
Wuthier, R.E., Wu, L.N.Y., Sauer, G.R., Genge, B.R., Yoshimori, T. and Ishikawa, Y., Mechanism of matrix vesicle calcification: characterization of ion channels and the nucleational core of growth plate vesicles, 290
Wuthier, R.E., see Wuthier, Y.I., 152
Wuthier, Y.I. and Wuthier, R.E., Development of an in vitro mineralization model with growth plate chondrocytes that does not require β-glycerophosphate, 152

Yahiro, M., see Takada, Y., 347
Yamada, N., see Hosokawa, R., 177
Yamaoka, K., see Chen, W.-t., 389
Yamamoto, T., see Chen, W.-t., 389
Yoshikawa, H., see Masuhara, K., 182
Yoshimori, T., see Wuthier, R.E., 290
Yousuf Ali, S., see Cassella, J.P., 123
Yousuf Ali, S., Rees, J.A. and Scotchford, C.A., Microcrystal deposition in cartilage and in osteoarthritis, 115

Zanelli, J.M., see Wand, J.S., 361
Ziegler, R., see Grauer, A., 65